

# IEEE Brand Identity Guidelines

How to use the IEEE Master Brand and Sub-Brand Architecture



# Table of Contents

## IEEE BRAND IDENTITY GUIDELINES .....1-27

OVERVIEW .....	<a href="#">3-4</a>
Welcome .....	<a href="#">3</a>
Brand Elements .....	<a href="#">4</a>

## IEEE MASTER BRAND.....[5-15](#)

Introduction & Logo Variations .....	<a href="#">5</a>
Color Variations .....	<a href="#">6</a>
File Formats .....	<a href="#">7</a>
Minimum Size & Clear Space .....	<a href="#">8-9</a>
Overview .....	<a href="#">8</a>
Promotional Items/Websites/Social Media .....	<a href="#">9</a>
Special Instances .....	<a href="#">10</a>
General Master Brand Usage .....	<a href="#">11-13</a>
Background Control .....	<a href="#">11</a>
Incorrect Usage .....	<a href="#">12</a>
I-E-E Identifier .....	<a href="#">13</a>
Placement .....	<a href="#">14</a>
Applications .....	<a href="#">15</a>

## COLOR SPECIFICATIONS .....[16-18](#)

IEEE Blue .....	<a href="#">16</a>
Bright Color Palette .....	<a href="#">17</a>
Dark Color Palette .....	<a href="#">18</a>

TYPOGRAPHY .....	<a href="#">19-20</a>
Primary & Secondary Typefaces .....	<a href="#">19</a>
Alternate Typefaces .....	<a href="#">20</a>

## IEEE WEDGE ELEMENT .....[21](#)

IEEE Wedge Usage .....	<a href="#">21</a>
------------------------	--------------------

## IMAGERY .....[22-23](#)

Imagery Themes .....	<a href="#">22</a>
General Imagery Usage .....	<a href="#">23</a>

## VIDEO & SOCIAL MEDIA .....[24-25](#)

Video Guidelines .....	<a href="#">24</a>
Social Media Guidelines .....	<a href="#">25</a>

## APPLICATIONS.....[26-27](#)

Print & Non-Screen .....	<a href="#">26</a>
Digital & On-Screen .....	<a href="#">27</a>

## IEEE SUB-BRAND ARCHITECTURE STANDARDS .....[28-39](#)

## INTRODUCTION .....[29](#)

## SUB-BRAND ARCHITECTURE .....[30-38](#)

Architecture & Alignment Groups .....	<a href="#">30</a>
Corporate Branding .....	<a href="#">31</a>
Endorsed Branding .....	<a href="#">32-36</a>
In-Name Endorsement .....	<a href="#">33</a>
Prefix Endorsement .....	<a href="#">34</a>
Geographic Communities .....	<a href="#">35-36</a>
Regions/Sections/Chapters .....	<a href="#">35</a>
Student Branches/Student Chapters .....	<a href="#">36</a>
Incorrect Usage .....	<a href="#">37</a>
Individual Branding .....	<a href="#">38</a>

## RESOURCES & CONTACT.....[39](#)

**THIS IS AN INTERACTIVE DOCUMENT:** The table of contents section, tabs at the top and bottom of each page, as well as the page callouts throughout the document are all “clickable” so that you can navigate to that corresponding section and/or page.

# Welcome to the IEEE Brand

IEEE is a recognized global leader in fostering world-changing technologies—from computing and sustainable energy systems to aerospace, communications, healthcare, and robotics. The technology IEEE helps to influence and innovate touches everyone in their everyday lives. Every year, IEEE supports education, humanitarian, historical preservation, and peer recognition programs. IEEE has been helping drive technology forward for over 130 years and has over 420,000 members worldwide.

Our brand is an asset. It is a reflection of who we are and what we value. When properly used, the IEEE Brand conveys our culture, personality, and values. In working with constituencies across the organization, we see a shared commitment to the brand.

These guidelines exist to create and maintain a unified family of brands so that together, we can ensure that the IEEE Brand continues to be recognized and respected throughout the world.

The cohesive guidelines are provided to ensure consistency in all of your collateral materials; technical and professional information, resources, services, conferences, and publications that reach professionals, students, prospective members, and organizations.

**Your adherence to these guidelines guarantees the continued integrity and leadership of the IEEE Brand in the global technology community.**

## Brand Elements

IEEE has consolidated best practices from communications materials created throughout the organization and streamlined the components and rules for how each element is used when creating branded communications. Identity elements have been carefully selected to reinforce the personality and values of the IEEE Brand.

To the right are the core elements of our brand identity—logo, color palette, fonts, and images.

IEEE MASTER BRAND | [PAGE 5](#)



IEEE blue  
[PAGE 16](#)



BRIGHT COLOR PALETTE | [PAGE 17](#)



DARK COLOR PALETTE | [PAGE 18](#)



TYPOGRAPHY | [PAGES 19-20](#)

Formata  
abc  
ABC

Adobe Caslon Pro  
abc  
ABC

Calibri  
abc  
ABC

Open Sans  
abc  
ABC

Cambria  
abc  
ABC

THE IEEE WEDGE | [PAGE 21](#)



IMAGERY | [PAGES 22-23](#)



## The IEEE Master Brand

The IEEE Master Brand must be used on all IEEE print and screen-based applications (including publications, marketing and promotional materials, PowerPoint presentations, websites, conference and event materials, advertising, plaques, certificates, and promotional giveaways).

Entities within the corporate branding model represent IEEE's core operational functions. They do not have their own unique logo and only display the IEEE Master Brand in print materials and on-screen experiences according to the IEEE Visual Identity Guidelines.

### MAINTAINING BRAND INTEGRITY

Consistency and proper use of the brand builds trust. To ensure a cohesive, overall brand experience, IEEE has created these guidelines that still allow for flexibility within the IEEE family of brands. Following these guidelines continues to strengthen and support our trusted and universally recognized brand.

## Logo Variations

The IEEE Master Brand, consisting of the IEEE diamond-shaped logo (the "kite") followed by the letters I-E-E-E, was adopted by the Board of Directors in November 1999.

The IEEE tagline, *Advancing Technology for Humanity*, was created in 2009 to commemorate the 125<sup>th</sup> anniversary of the organization. It is recommended for use on all corporate level materials.

The IEEE "kite" is **ONLY** for use on membership grade indicators (i.e. pins, digital badges, etc.)

**Due to trademarks infringements, the IEEE "kite" should never be used alone.**

Learn more about the IEEE tagline at [www.ieee.org/tagline](http://www.ieee.org/tagline)



Use of the Master Brand or IEEE logo by entities other than IEEE and its organizational units (OU) is prohibited without the express written permission of IEEE. An IEEE OU wishing to partner with a non-IEEE entity must ensure that appropriate wording regarding the proper or prohibited use of the IEEE Master Brand and/or logo is included in any formal agreement(s) between the parties. For assistance with drafting such agreement language or for general permission to use the IEEE Master Brand or logo, please email the IEEE Brand Team at [branding@ieee.org](mailto:branding@ieee.org)

## Print & Non-Screen

The IEEE Master Brand can only be represented in 3 colors: IEEE blue, black or white.

IEEE blue (or process color equivalent) must be used on all corporate level communications keeping a visible contrast between Master Brand and color backgrounds. Black or white logo options are recommended on all sub-brand applications and/or when Master Brand blue cannot be used. Blue and black color options are noted below.

See [pages 16-18](#) for more specific color specifications.

See [page 11](#) for guidelines on background control.



SPOT: Pantone 3015 C  
PROCESS: C100 M31 Y5 K20



BLACK: C0 M0 Y0 K100



WHITE/REVERSED:  
C0 M0 Y0 K0

## Digital & On-Screen

RGB and hexadecimal (web-safe) equivalents of IEEE blue should be used for PowerPoint presentations, websites, and other digital applications. The black or white options are recommended for all sub-brand communications.



RGB: R0 G102 B161  
Web: #006699



RGB: R0 G0 B0  
Web: #000000



RGB: R:255 G:255 B:255  
Web: #FFFFFF

Use of the Master Brand or IEEE logo by entities other than IEEE and its organizational units (OU) is prohibited without the express written permission of IEEE. An IEEE OU wishing to partner with a non-IEEE entity must ensure that appropriate wording regarding the proper or prohibited use of the IEEE Master Brand and/or logo is included in any formal agreement(s) between the parties. For assistance with drafting such agreement language or for general permission to use the IEEE Master Brand or logo, please email the IEEE Brand Team at [branding@ieee.org](mailto:branding@ieee.org)

## File Formats

Using the appropriate file format, color mode, and proper resolution when utilizing the Master Brand or any sub-brand logos in communications ensures the IEEE Master Brand or any sub-brand logo is legible and high resolution.

### RASTER FILE FORMATS

**EPS** (Encapsulated PostScript)—Although typically a vector art file format, if an image is saved as a Photoshop EPS file, it is a large raster file similar to a TIFF file.

**GIF** (Graphics Interchange Format)—A small, limited-color raster file for on-screen viewing only.

**JPG** (Joint Photographic Experts Group)—A compressed raster file for use when a small photographic file is needed (typically for the web).

**PNG** (Portable Network Graphics)—An open and bitmapped graphical file format that can display more than 256 colors for on-screen viewing only.

**TIFF** (Tagged-Image File Format)—Typically used for print production.

### VECTOR FILE FORMATS

**EPS** (Encapsulated PostScript)—A file created by an illustration program (e.g., Adobe Illustrator, Corel Draw, etc.) using the postscript language. EPS files can also contain raster images, but typically a vector eps file indicates a line art illustration, such as a logo or a graph.

**PDF** (Portable Document Format)—An Adobe Acrobat file that can be both vector and raster, depending on the original artwork. For print purposes, pdf files should be saved at the highest resolution possible, which is only possible if the pdf file is created using Adobe Acrobat Distiller or a PDF creation program (e.g., Adobe Acrobat Professional).

### COLOR MODES

**Monochrome** Images consisting of only black and white.

**Grayscale** Images with 256 shades of gray, ranging from black to white.

**CMYK** Primarily for full color printing. CMYK is an acronym for cyan, magenta, yellow, and black, the standard colors used in offset printing.

**RGB** Primarily for on-screen viewing. RGB is an acronym for red, green, and blue, the colors used for computer monitors and video electronics.

**SPOT** Primarily for full color printing. Printing using a single run, this type of printing ensures that the printer achieves the exact color desired.

### RESOLUTION

**Print resolution** is measured in dots per inch or dpi. The higher the resolution, the higher the quality of the printing. Minimum resolution for photographic images is 300 dpi at final reproduction size (100 percent).

**Digital resolution** is measured in pixels per inch or ppi. Computer monitors display images at approximately 72 ppi. That means images saved for web viewing on a computer are not typically suitable for printing. However an image or graphic for on-screen purposes do NOT need to be resized for 72 ppi. The minimum ppi for maximum resolution should be 72 ppi or higher.

### BONUS TIPS

• Save GIF or PNG files with a “transparent” background for use when a background color or image should show through.

For questions please email the IEEE Brand Team at [branding@ieee.org](mailto:branding@ieee.org)

• When saving graphics or imagery for use in print, make sure that the size of the image or graphic is comparable to the final printed size. (EX: Do NOT use an image sized to 1" x 1" for an 8" x 10" ad).

• When uploading final files, make sure to check the bleed and crop requirements. If using stock imagery, make sure the image is **NOT** rights managed or for editorial use only.




## Minimum Size

The minimum size requirement for both print and digital ensures that the IEEE Master Brand is legible. It also ensures that the kite does not become illegible.

### PRINT & NON-SCREEN

The minimum width for the IEEE Master Brand in print and non-screen based applications is .875 inches (22.225 millimeters).



### DIGITAL & ON-SCREEN

The minimum width for the IEEE Master Brand in digital and on-screen applications is 100 pixels.



## Clear Space

Clear space ensures that the type treatment does not compete with other images, graphics, and text. Do not place any text, images, or graphics inside the clear space.

### PRINT & NON-SCREEN

A clear space equal to or greater than "1x" is required on all sides surrounding the IEEE Master Brand in printed applications.



### DIGITAL, ON-SCREEN, & PROMOTIONAL ITEMS

A clear space equal to or greater than "1/2x" is required on all sides surrounding the IEEE Master Brand for digital and promotional applications.



**The clear space guideline is required for both, the IEEE Master Brand with and without the tagline.**

Be sure to choose the appropriate file format, color mode, and proper resolution when utilizing the Master Brand or any sub-brand logos in communications. For more information, see [page 7](#). For special circumstances where the IEEE Master Brand cannot meet the minimum or clear space requirements, see [page 10](#).

See [IEEE Digital Guidelines](#) for minimum size and clear space requirements for metanav and footer areas.



## Promotional Items

When placing the Master Brand on a promotional item, follow the minimum size (100 pixels) and clear space ( $\frac{1}{2}x$ ) for digital and on-screen applications. If the minimum size and/or clear space cannot be met, the Master Brand should be as large as possible within the allotted imprint area.



To order properly branded promotional items, visit [ieeespecpromoinc.com](http://ieeespecpromoinc.com)

## Websites


The Master Brand should appear no less than (100 pixels) in width on all websites and subsites. When designing the area around the Master Brand, make sure that the clear space requirement ( $\frac{1}{2}x$ ) for digital and on-screen applications is followed.

For the IEEE Digital Style Guide visit [brand-experience.ieee.org](http://brand-experience.ieee.org)

IEEE.org website



IEEE Subsite with Master Brand in upper right-hand corner.




For the IEEE Digital Style Guide visit [brand-experience.ieee.org](http://brand-experience.ieee.org)

## Social Media

All social media brands (Facebook, Twitter, Instagram, etc.) have their own sets of guidelines. When using the Master Brand for these applications, follow the minimum size (100 pixels) and clear space ( $\frac{1}{2}x$ ) for digital and on-screen applications. If the minimum size and/or clear space cannot be met, the Master Brand should be as large as possible within the given space.

For more information, see [page 25](#).



IEEE Facebook

IEEE Standards Association  
Twitter

IEEE ComSoc  
Instagram

Extensive Social Media Guidelines will be made available in 2019. Please contact [socialmedia@ieee.org](mailto:socialmedia@ieee.org) for any questions.

## Limited Space

When there is limited or constrained space and the minimum size and/or clear space cannot be met, the following exceptions are permitted:

1. It is acceptable to use a separator line above and/or below the Master Brand.
2. The Master Brand does not need to appear in a small ad, promotion, or social media channel when there are space constraints and/or within an IEEE Brand site or publication where the Master Brand is already prominently displayed (i.e. IEEE websites and IEEE publications).



Learn more about  
IEEE featured  
societies.



IEEE online ad using a **separator line**  
above the IEEE Master Brand.

IEEE online ad **without** the IEEE  
Master Brand within the IEEE website.

## With Other Logos & Identifiers

The Master Brand must have equal or greater prominence to other identifiers and logos, while adhering to minimum size and clear space requirements.

**Do NOT manipulate the IEEE Master Brand in any way when creating a lock up with the Master Brand and another logo.** A vertical or horizontal rule should be used to delineate between the Master Brand and logo/identifier. The clear space should be equal to or greater than "1/2x" on both sides of the vertical or horizontal rule. This rule does not apply to the headers of IEEE Brand sub sites, where the site identifier (or logo) must be larger than the IEEE Master Brand for navigation purposes.



See [pages 28-32](#) for examples of Region, Section, Chapter, and Brand identifiers.

## Background Control

When placing the Master Brand on print or screen-based communications, maintain maximum visibility by keeping a sharp contrast between the background and logo. When placing the logo over an image, adjust the position of the image or retouch the area as needed. Here are some examples of both high contrast (correct) and low contrast (incorrect).

**At no time, should a white background be used behind the kite.**

**The Master Brand should never be used as a background or wallpaper. A pattern of the Master Brand is permitted, provided the proper space allotment is maintained around the Master Brand. All other uses are prohibited. Watermarks are only permitted on video applications.**

See [page 24](#) for specific video guidelines.

### CORRECT USAGE



Blue IEEE Master Brand on light background.



Black IEEE Master Brand on light background.



White IEEE Master Brand on a dark background.



White IEEE Master Brand on a dark image (minimal detail in area behind the IEEE Master Brand).

### INCORRECT USAGE



Do NOT put the blue IEEE Master Brand on dark background.



Do NOT put the black IEEE Master Brand on dark background.



Do NOT put the white IEEE Master Brand on a light background.



Do NOT place the IEEE Master Brand on a dark/complex image.

## Incorrect Usage

Master Brand configurations and usage outside of established specifications and guidelines damage the Master Brand, and over time, can reduce the value of the brand.

Modifications and/or distortions are strictly prohibited and some examples are shown at right.

**Reminder: The IEEE Master Brand can only be used in IEEE blue, black or white.**



Do NOT rearrange, reconfigure, change the size, and/or placement of an IEEE Master Brand element.



Do NOT use any colors other than the 3 approved colors: IEEE blue, black or white.



Do NOT make the IEEE Master Brand elements different color combinations.



Do NOT use the IEEE Master Brand kite symbol on its own. The kite symbol should never be separated from the letters I-E-E-E.



Do NOT distort, stretch, and/or squeeze the IEEE Master Brand.  
**TIP:** Hold down the 'SHIFT' key to resize the logo proportionately.



Do NOT use a white background inside the kite symbol of the IEEE Master Brand.



Do NOT add lines above or below the IEEE Master Brand **unless** there is enough space to accommodate the clear space ratio.



Do NOT outline, alter, add a drop shadow and/or recreate the IEEE Master Brand in any way.



Do NOT place the IEEE Master Brand at an angle.



Do NOT add containment shapes to the IEEE Master Brand.



Do NOT add any text to the IEEE Master Brand **unless** there is a horizontal rule that accommodates the required clear space separating the Master Brand from the text.



Do NOT separate the Master Brand elements and/or combine with copy.

## I-E-E-E Identifier

- IEEE must always be used in the title of an IEEE product, service name, publication, or platform, (For example, IEEE Collabratec®, IEEE Xplore® Digital Library, IEEE Photonics Journal.) The letters I-E-E-E also must appear in any visual representation, text, or signage where the product is listed. In these instances, only the letters I-E-E-E (not the full IEEE Master Brand) should be used.
- When used in a sentence, title or name, the letters “IEEE” should always appear in uppercase. The Master Brand should appear separately, elsewhere on the page.
- When listing the main IEEE website, it should always be identified as IEEE.org.
- When using copy such as “IEEE XXXX Section or IEEE XXXX Student Branch, only the letters “IEEE” should be used.
- The letters I-E-E-E can be shown in any of the IEEE approved fonts *except the Master Brand Font, Univers 75, or substitute and should follow the same font as the name or title*. This includes all print, digital and Web-based applications. These examples provide guidance on how to place text within the allowable minimum clear space with the IEEE name or Master Brand.

### CORRECT USAGE

IEEE XXXX Section

IEEE  
XXXX Event



IEEE XXXX Event

### INCORRECT USAGE



See [pages 28-32](#) for examples of Region, Section, Chapter, and Brand identifiers.


# Placement

Placement of the IEEE Master Brand correctly and consistently is essential to maintaining brand equity. As outlined in the previous pages, consideration should be given to clear space, minimum size, size ratio, color, background, and placement.

## IEEE MASTER BRAND PLACEMENT

- Print materials (e.g. brochures, journals, print ads, posters, postcards, etc.)
  - cover or front page along the bottom right
- Magazines or newsletters
  - along the bottom of the publication cover
- Pull up banner displays
  - if only IEEE Master Brand: top left or right
  - if IEEE Master Brand plus Sub-Brand: IEEE at the top rightmost position or bottom right
- IEEE subsites and HTML emails
  - in the upper right-hand corner
- Web banner advertisements (where available space is often limited)
  - along the bottom or lower right-hand corner
- Screen applications (e.g. PowerPoint)
  - every page, in the lower right-hand corner
- Promotional items (e.g. tablecloths, giveaways)
  - as large as possible within the given imprint area



TRIFOLD BROCHURE



TABLECLOTH


Templates, tools, and resources are available for download at [brand-experience.ieee.org](http://brand-experience.ieee.org)

PULL UP BANNER



POSTER

POSTCARD




FLYER/HANDOUT



## Print & PowerPoint

As outlined in the previous pages, we have established best practices for use of white space, minimum size, size ratio, color, background, and placement. On collateral print materials, the Master Brand should appear in the bottom right-hand corner of the cover page. On applications such as web ads or PowerPoint presentations, the Master Brand must appear on every page in the bottom right-hand corner. **For magazines or newsletters, the letters I-E-E-E must also appear in the masthead.**



IEEE Master Brand on Banner Displays is placed in the upper left-hand or upper right-hand corner.



IEEE Master Brand on printed applications such as brochures, journals, etc. is placed in lower right-hand corner.



IEEE Master Brand on PowerPoint presentations is placed in lower right-hand corner.

## Digital

Websites require RGB and hexadecimal (web-safe) equivalents of the Master Brand blue and must be used on corporate-wide screen-based applications. For all sub-brand communications, the black or white options should be used. Color specifications are illustrated below.

Color contrast guidelines and specifications are provided on [pages 16-18](#).




IEEE Master Brand on an HTML email is placed in the upper right-hand corner.



IEEE Master Brand on Web Banner Ads must meet the minimum size requirement.




IEEE Master Brand on email banners.



IEEE Master Brand on web subsites is placed in the upper right-hand corner.



# IEEE Blue



**PANTONE (SPOT)**  
PMS 3015 C

**CMYK**  
C100 M35 Y3 K21

**RGB**  
R0 G98 B155

**Hexidecimal/Web**  
#00629B

**RAL (European Equivalent)**  
5007

IEEE blue (PMS 3015 C) was chosen for its printing reliability and must be used on all corporate-wide communications. Black and white may also be used on both corporate and sub-brand communications.

IEEE blue can be used as a background color, for type emphasis, or for shape definition. Approved tints of IEEE blue are to be used sparingly, and only as an accent color, not as a predominant color. Colors on-screen may vary.











Pantone Matching System: The colors shown throughout this guide have not been evaluated by Pantone, Inc. for accuracy and may not match the PANTONE® Color Standards. Consult current PANTONE® Publications for accurate color.

## Bright Color Palette

An expanded bright color palette, consisting of a range of bright colors, has been developed to bring the IEEE personality to life as a vibrant and forward-thinking organization. Use the expanded color palette across sub-brands and as accent colors on corporate-level communications.

- This palette allows for flexibility in brand communications where sub-brand, cultural, or product distinction is warranted.
- Recommended tints for use of these colors are included.
- The recommended type color (black or white) is indicated in the percentage labels.

Use **Pantone Spot colors** when printing with more than four colors or fewer than three colors.  
 Use **CMYK colors** when 4-color printing is available.  
 Use **RGB colors** for screen-based applications, such as PowerPoint presentations, HTML emails, and television monitors.  
 Use **Hexadecimal colors** when creating websites and any related applications, such as banner advertisements.  
 Use **RAL colors** for the European equivalent of Pantone for applications in signage and facility installations.


 <p><b>PANTONE (SPOT)</b> PMS 200 C</p> <p><b>CMYK</b> C3 M100 Y70 K12</p> <p><b>RGB</b> R186 G12 B47</p> <p><b>Hexidecimal/Web</b> #BA0C2F</p> <p><b>RAL</b> 3027</p>	 <p><b>PANTONE (SPOT)</b> PMS 137 C</p> <p><b>CMYK</b> C0 M41 Y100 K0</p> <p><b>RGB</b> R255 G163 B0</p> <p><b>Hexidecimal/Web</b> #FFA300</p> <p><b>RAL</b> 1003</p>	 <p><b>PANTONE (SPOT)</b> PMS 109 C</p> <p><b>CMYK</b> C0 M9 Y100 K0</p> <p><b>RGB</b> R255 G209 B0</p> <p><b>Hexidecimal/Web</b> #FFD100</p> <p><b>RAL</b> 1018</p>	 <p><b>PANTONE (SPOT)</b> PMS 368 C</p> <p><b>CMYK</b> C65 M0 Y100 K0</p> <p><b>RGB</b> R120 G190 B32</p> <p><b>Hexidecimal/Web</b> #78BE20</p> <p><b>RAL</b> 6018</p>	 <p><b>PANTONE (SPOT)</b> PMS 348 C</p> <p><b>CMYK</b> C96 M2 Y100 K12</p> <p><b>RGB</b> R0 G132 B61</p> <p><b>Hexidecimal/Web</b> #00843D</p> <p><b>RAL</b> 6037</p>
 <p><b>PANTONE (SPOT)</b> PMS 254 C</p> <p><b>CMYK</b> C48 M96 Y0 K0</p> <p><b>RGB</b> R152 G29 B151</p> <p><b>Hexidecimal/Web</b> #981D97</p> <p><b>RAL</b> 4006</p>	 <p><b>PANTONE (SPOT)</b> PMS 320 C</p> <p><b>CMYK</b> C96 M0 Y31 K2</p> <p><b>RGB</b> R0 G156 B166</p> <p><b>Hexidecimal/Web</b> #009CA6</p> <p><b>RAL</b> 5018</p>	 <p><b>PANTONE (SPOT)</b> PMS 3015</p> <p><b>CMYK</b> C100 M35 Y3 K21</p> <p><b>RGB</b> R0 G98 B155</p> <p><b>Hexidecimal/Web</b> #00629B</p> <p><b>RAL</b> 5007</p>	 <p><b>PANTONE (SPOT)</b> PMS PROCESS CYAN</p> <p><b>CMYK</b> C100 M0 Y0 K0</p> <p><b>RGB</b> R0 G181 B226</p> <p><b>Hexidecimal/Web</b> #00B5E2</p> <p><b>RAL</b> 5024</p>	 <p><b>COLOR</b> White</p> <p><b>CMYK</b> C0 M0 Y0 K0</p> <p><b>RGB</b> R255 G255 B255</p> <p><b>Hexidecimal/Web</b> #FFFFFF</p> <p><b>RAL</b> 9016</p>

## Dark Color Palette

An expanded dark color palette, consisting of a range of dark colors, has been developed to bring the IEEE personality to life as a vibrant and forward-thinking organization. Use the expanded color palette across sub-brands and as accent colors on corporate-level communications.

- This palette allows for flexibility in brand communications where sub-brand, cultural, or product distinction is warranted.
- Recommended tints for use of these colors are included.
- The recommended type color (black or white) is indicated in the percentage labels.

Use **Pantone Spot colors** when printing with more than four colors or fewer than three colors.  
 Use **CMYK colors** when 4-color printing is available.  
 Use **RGB colors** for screen-based applications, such as PowerPoint presentations, HTML emails, and television monitors.  
 Use **Hexadecimal colors** when creating websites and any related applications, such as banner advertisements.  
 Use **RAL colors** for the European equivalent of Pantone for applications in signage and facility installations.

 <p><b>PANTONE (SPOT)</b> PMS 208 C</p> <p><b>CMYK</b> C15 M100 Y37 K45</p> <p><b>RGB</b> R134 G31 B65</p> <p><b>Hexidecimal/Web</b> #861F41</p> <p><b>RAL</b> 4002</p>	 <p><b>PANTONE (SPOT)</b> PMS 158 C</p> <p><b>CMYK</b> C0 M62 Y95 K0</p> <p><b>RGB</b> R232 G119 B34</p> <p><b>Hexidecimal/Web</b> #E87722</p> <p><b>RAL</b> 2011</p>	 <p><b>PANTONE (SPOT)</b> PMS 123 C</p> <p><b>CMYK</b> C0 M19 Y89 K0</p> <p><b>RGB</b> R255 G199 B44</p> <p><b>Hexidecimal/Web</b> #FFC72C</p> <p><b>RAL</b> 1018</p>	 <p><b>PANTONE (SPOT)</b> PMS 370 C</p> <p><b>CMYK</b> C62 M1 Y100 K25</p> <p><b>RGB</b> R101 G141 B27</p> <p><b>Hexidecimal/Web</b> #658D1B</p> <p><b>RAL</b> 6018</p>	 <p><b>PANTONE (SPOT)</b> PMS 3425 C</p> <p><b>CMYK</b> C93 M13 Y85 K44</p> <p><b>RGB</b> R0 G99 B65</p> <p><b>Hexidecimal/Web</b> #006341</p> <p><b>RAL</b> 6016</p>
 <p><b>PANTONE (SPOT)</b> PMS 2612 C</p> <p><b>CMYK</b> C67 M100 Y0 K5</p> <p><b>RGB</b> R119 G37 B131</p> <p><b>Hexidecimal/Web</b> #772583</p> <p><b>RAL</b> 4006</p>	 <p><b>PANTONE (SPOT)</b> PMS 322 C</p> <p><b>CMYK</b> C97 M9 Y39 K34</p> <p><b>RGB</b> R0 G115 B119</p> <p><b>Hexidecimal/Web</b> #31787B</p> <p><b>RAL</b> 5021</p>	 <p><b>PANTONE (SPOT)</b> PMS 295</p> <p><b>CMYK</b> C100 M69 Y8 K54</p> <p><b>RGB</b> R0 G40 B85</p> <p><b>Hexidecimal/Web</b> #002855</p> <p><b>RAL</b> 5026</p>	 <p><b>PANTONE (SPOT)</b> PMS Cool Gray 9 C</p> <p><b>CMYK</b> C30 M22 Y17 K57</p> <p><b>RGB</b> R117 G120 B123</p> <p><b>Hexidecimal/Web</b> #75787B</p> <p><b>RAL</b> 9023</p>	 <p><b>PANTONE (SPOT)</b> PMS Process Black</p> <p><b>CMYK</b> C0 M0 Y0 K100</p> <p><b>RGB</b> R0 G0 B0</p> <p><b>Hexidecimal/Web</b> #000000</p> <p><b>RAL</b> 9017</p>

# Typography

IEEE typefaces have been carefully chosen for ease of communications and for their legibility, flexibility, and adaptability with the other design elements.

## PRIMARY TYPEFACE

Formata is the IEEE primary typeface. Formata, a sans serif font, should be used predominantly on all print applications. This typeface is available in many weights and styles that are essential to create distinction across all communications.

When Formata is not available, use alternate typefaces specified on [page 20](#).

### Formata

aBbCcDdEeFfGgHhIi  
jKkLlMmNnOo PpQqRr  
SsTtUuVvWw XxYyZz

Formata Light

*Formata Light Italic*

**Formata Regular**

*Formata Italic*

**Formata Medium**

***Formata Medium Italic***

**Formata Bold**

*Formata Bold Italic*

Formata Condensed

*Formata Condensed Italic*

**Formata Condensed**

***Medium Italic***

Formata Condensed Bold

**Formata Condensed**

***Bold Italic***

## SECONDARY TYPEFACE

Adobe Caslon Pro has been designated as the IEEE secondary typeface to complement the Formata font family.

Adobe Caslon Pro, a serif font, is to be used sparingly, only for headlines or titles.

When Adobe Caslon Pro is not available, use the alternate typefaces specified on [page 20](#).

### Adobe Caslon Pro

AaBbCcDdEeFfGgHhIi  
JjKkLlMmNnOoPpQq  
RrSsTtUuVvWwXxYyZz

Adobe Caslon Pro Regular

*Adobe Caslon Pro Italic*

**Adobe Caslon Pro Semibold**

*Adobe Caslon Pro Semibold*

*Italic*

**Adobe Caslon Pro Bold**

*Adobe Caslon Pro Bold Italic*

## WEB TYPEFACE

Open Sans is the IEEE preferred web font for use on all websites.

Open Sans Light  
*Open Sans Light Italic*  
Open Sans Regular  
*Open Sans Italic*  
**Open Sans Semibold**  
*Open Sans Semibold Italic*  
**Open Sans Bold**  
***Open Sans Bold Italic***

**PLEASE NOTE** that use of the Formata and Adobe Caslon Pro fonts are governed by license agreements. Use of the fonts without a license or in opposition to the license terms is prohibited. See next page for alternate brand fonts that do not require a license. For questions please email [branding@ieee.org](mailto:branding@ieee.org).

# Typography

Digital applications such as PowerPoint Presentations require alternate typefaces that are readily available throughout the organization.

## ALTERNATE PRIMARY TYPEFACE

Calibri is the IEEE font to be used on all screen-based applications, such as PowerPoint and Microsoft Word.

### Calibri

AaBbCcDdEeFfGgHhIiJjKkLlMm  
NnOoPpQqRrSsTtUuVvWwXxYyZz

Calibri Light  
 Calibri Regular  
*Calibri Italic*  
**Calibri Bold**  
***Calibri Bold Italic***

## ALTERNATE SECONDARY TYPEFACE

Cambria is an alternative to the secondary serif typeface (Adobe Caslon Pro) and is to be used sparingly, for letters, memos, and faxes.

### Cambria

AaBbCcDdEeFfGgHhIiJjKkLlMm  
NnOoPpQqRrSsTtUuVvWwXxYyZz

Cambria Regular  
*Cambria Italic*  
**Cambria Bold**  
***Cambria Bold Italic***

What is the difference between a sans serif and serif font?

Abc  
 Sans serif font

Sans serif fonts do not have projections.


Abc  
 Serif font

Serif fonts have projections at the top and bottom or the beginning and end of a letter.


## Use of the Wedge

In addition to the IEEE Master Brand, colors, typography, and imagery, the wedge is a key element of the IEEE design system. The wedge device, based on the graphic style of the kite emblem of the IEEE Master Brand, is streamlined to create a unique and dynamic look-and-feel system that can be applied across all IEEE-Branded communications. The wedge should be incorporated in all materials, however it should be done so sparingly.

### IEEE KITE



### IEEE WEDGE



## Angle & Ratio

In order to use the wedge correctly, the angle of the wedge is very important. The wedge must be at an approved angle of either 45° or 135°.


### THE WEDGE CAN BE USED IN A FEW DIFFERENT WAYS:

- within the frame of an image
- within a graphic box that holds text
- as a background panel
- as a design accent


### WEDGE RATIO

The dimensions of the wedge should increase or decrease in proportion to the size of the page layout.

### THE WEDGE 45°



### IEEE WEDGE 135°



Branded design elements as well as various IEEE wedge options are available for download on the IEEE Brand Experience website at [brand-experience.ieee.org](https://brand-experience.ieee.org)



Q1 2019 | [brand-experience.ieee.org](http://brand-experience.ieee.org) 22



## General Imagery Usage


The imagery themes are your imagery guide and reflect the IEEE core values, brand personality and style, and IEEE members, areas of expertise, and history.

- Original photography (not clip art or stock images) should be used whenever possible to convey the themes but when not available, stock photos can be substituted as long as they convey real people, real environments, and real world situations.
- When selecting photos for larger layouts or complex messages, look for opportunities to tell a simple story which supports the written content and helps the IEEE audience understand and engage with the message.
- Images should be cropped whenever possible and eliminate unnecessary details so the core message of the image is clear.
- Full-color images should be bright and energetic with unique perspectives and angles.
- Highlight diversity in the IEEE organization and in the IEEE marketplace through age, gender, race, dress, country of origin, and job responsibilities.

WEB AD



PRINT AD



BROCHURE

Many examples of use of imagery appear in advertisements housed on the IEEE Promo Library, found on the IEEE Brand Experience website at [brand-experience.ieee.org](http://brand-experience.ieee.org)

## Video Guidelines

To keep the IEEE Brand consistent throughout all applications, follow these guidelines when producing any type of video.

### WATERMARK

Using the IEEE Master Brand as a ghosted/translucent 'watermark' is a good way to leverage the IEEE Brand (shown on right). Be sure to maintain proper brand clear space, as well as enough room to allow for a video control bar that may appear below the watermark during playback.

If the IEEE.tv logo is present, the IEEE Master Brand can appear in opening and closing frames, rather than throughout.

### IEEE WEDGE DESIGN SYSTEM

Consider using a branded 'wedge' accent color bar along the bottom of the screen with reversed to white Master Brand for title and ending slides. This can be done in IEEE blue or any IEEE color from the approved color palette.



All videos on IEEE.tv have the IEEE.tv logo watermark. Make sure to leave space clearance in the lower portion of the video frame for the watermark. Anything intended for use in that space, please contact [ieee.tv](http://ieee.tv) for further guidance. When possible, the IEEE Master Brand watermark should also appear in the lower portion of the video frame.



When using more than one logo on the endslide of a video, consider using a vertical line to separate the two logos.

When there is an IEEE.tv watermark, or when multiple sub-brands are involved, the IEEE Master Brand does not have to appear throughout, *but should appear* in the beginning and ending frames.



Example of how the IEEE Master Brand could be featured.



Consider use of the IEEE Wedge element as a design accent. The wedge may be shown in any of the approved colors from the IEEE color palette.

## Social Media Guidelines

All social media brands (Facebook, Twitter, Instagram, etc.) have their own sets of guidelines. When using the Master Brand or sub-brand logos for these applications, follow the minimum size (100 pixels) and clear space ( $\frac{1}{2}x$ ) for digital and on-screen applications.

**If the minimum size and/or clear space cannot be met, the Master Brand or sub-brand logos should be as large as possible within the given space.** Make sure that the Master Brand, sub-brand logos and/or tagline (if used) are legible when resized for mobile optimization. If the IEEE Master Brand or sub-brand logo is illegible for certain profile icons, consider usage of an image, or *\*contact branding@ieee.org to have your sub-brand logo reformatted for the square application.*

### Size and Font

- Clear Space: Equal to or greater than  $\frac{1}{2}x$
- Master Brand Minimum Width: 100 pixels
- Font: Formata or Calibri

### Color

- Must be from approved IEEE color palette

Extensive Social Media Guidelines will be made available in 2019. Please contact [socialmedia@ieee.org](mailto:socialmedia@ieee.org) for any questions.


The timeline cover photo uses approved colors from the IEEE color palette. The font is Formata.



The IEEE Master Brand is placed within bounding box dimensions allowed by Facebook guidelines. Desktop version is shown in the example. The uploaded artwork is 180 px x 180 px for the profile icon.



FACEBOOK PAGE (MOBILE)



The IEEE Xplore Digital Library logo is reformatted to fit the square application of the Facebook icon.\*


- If no logo exists or does not work in a square format, use a photo that represents the brand.



If the letters I-E-E-E are used in the app icon, make sure they are legible.

Consider multiple versions of the logo for the different social applications.

## Print & Non-Screen Applications



BROCHURE



TRI-FOLD BROCHURE

PULL UP BANNERS



POSTER



FACT SHEET



## Digital & On-Screen Applications

WEBSITE



TWITTER

FACEBOOK

INSTAGRAM

POWERPOINT

For further guidance visit the digital toolkit at [brand-experience.ieee.org](https://brand-experience.ieee.org)

# IEEE Sub-Brand Architecture Standards

Building a Strong Foundation for the IEEE Family of Brands

Download IEEE Master Brand:  
[www.ieee.org/Master Brand](http://www.ieee.org/Master Brand)



## Introduction

The success of the IEEE Brand depends on the structure of its brand architecture.

### THE PURPOSE OF IEEE BRAND ARCHITECTURE:

- Define the relationships of tangible assets
- Promote consistent visual relationships throughout IEEE
- Protect the equity of IEEE and its brand identity

## Corporate Branding

Entities within the corporate branding model **represent the IEEE core operational functions**. They do not have their own unique logo and only display the IEEE Master Brand in print materials and on-screen experiences according to the IEEE Brand Identity Guidelines.

## Endorsed Branding

Entities within the endorsed branding model **have a visual association with IEEE, but also have unique, differentiating aspects that may require a separate logo or visual treatment**. These visual elements help people easily recognize the product, service, or group.

### ENDORSED BRANDING IS DIVIDED INTO THREE SUBCATEGORIES:

1. In-Name Endorsement
2. Prefix Endorsement
3. Geographic Communities

## Individual Branding

Entities within the individual branding model **may have limited oversight by IEEE and may rely on another legal entity with its own guidelines**. These products, services, or groups have their own identities, logos, and possibly branding standards.

If the IEEE Master Brand is to be displayed in print materials or on-screen experiences, follow the IEEE Brand Identity Guidelines when creating materials for this model.



# Sub-Brand Architecture & Alignment Groups

## Instructions:

1. Locate your product, group, or service on the chart
2. Click the chart to jump to the guidelines provided for that category

## CORPORATE BRANDING

IEEE Awards  
Committees and Boards of the IEEE Board of Directors\*\*  
IEEE Corporate Brochures  
IEEE Foundation  
IEEE Membership  
IEEE.org  
IEEE Organizational Unit

## ENDORSED\* BRANDING

### IN-NAME ENDORSEMENT

**Delivery Platforms**  
Aggregate systems which house and deliver products and/or content.  
• IEEE.tv  
• IEEE Xplore® Digital Library  
• myIEEE

**IEEE Level Information Products**  
Hard and electronically delivered knowledge-based goods at an IEEE level.  
• IEEE Collabratec®

### PREFIX ENDORSEMENT

**Affinity Groups**  
Groups of IEEE members with a non-technical interest that connect them.  
• IEEE Women in Engineering (WIE)  
• IEEE Young Professionals

**IEEE Conferences**  
Financially sponsored 100% by one or more of the IEEE organizational units.

**Organizational Unit Level Information Products**  
Hard and electronically delivered knowledge-based goods at an OU level.  
• IEEE Publications (print/web)  
• Other IP Products

**IEEE Standards & Consensus Building Groups**  
Groups of individuals or entities who work towards building consensus.

**Societies**  
Group of individuals who work in a shared technical field of interest.

**Services**  
Programs managed by IEEE that provide benefits to their consumers.  
• IEEE JobSite  
• IEEE Resume Lab

**Technical Councils**  
IEEE groups of Societies working together in broad areas of technology.  
• IEEE Sensors Council

**Vertical Information Portals**  
Specialized entry points to a specific marketplace and/or industry niche focused on one functional area.  
• IEEE Cloud Computing  
• IEEE Global History Network  
• IEEE SmartGrid

### GEOGRAPHIC COMMUNITIES

**Regions/Sections/Chapters**  
IEEE geographically-based communities of the world.  
• Regions 1-10  
• IEEE SIGHT

**Student Branches**  
IEEE student members supported by universities/colleges and IEEE.

**Student Chapters**  
A technical subunit of an IEEE Student Branch, and of one or more Societies/Technical Councils.

## INDIVIDUAL BRANDING

**Partnerships & Co-Branding**  
Arrangements where entities and/or individuals agree to cooperate to advance shared interests in which IEEE is working with one or more partners. Typically does not carry the IEEE name but shows the IEEE Brand.  
• Wiley-IEEE Press  
• IEEE TryEngineering Together  
• InnovationQ Plus

**Co-Sponsored Conferences**  
Conferences where at least one organizer is non-IEEE; not 100% financially sponsored by IEEE.

NOTE: The intent of this chart is to show the visual association of brands within the IEEE family. It is not a direct reflection of the organizational structure of IEEE. The entities listed in each group are only examples and may not be comprehensive lists of entities within the grouping.

\*Endorsed is a branding term solely intended to convey the IEEE presence within a brand—not levels of compliance or importance.

\*\*All IEEE Committees and Major Boards: By default, all Committees and Major Boards should use the Corporate Brand guidelines. However, if a Committee produces a product or service that has its own logo, the Committee can leverage that logo as its own. The logo of the product or service offered by the Committee should also be in alignment with the guidelines that apply to that type of product or service.

## Corporate Branding

To the right are examples of how the IEEE brand can be successfully communicated in print and on-screen by applying the five IEEE Brand Basic elements: IEEE Master Brand, Typography, Color Palette, Imagery, and Design System.

As a reminder, OUs can't have their own marks. OUs aren't sub brands, so sub brand rules don't apply. They can have a look/feel on their communications, but the parent brand is the only thing they can use as "their" logo when facing the outside world.

- Corporate Brands do not have their own unique logo.
- Corporate Brands only display the IEEE Master Brand in print materials and on-screen experiences according to the IEEE Brand Identity Guidelines.

### PRINT



Brochure



Print Ad



Flyer




Table Top Banner



Pull Up Banner

### ON-SCREEN



Corporate Website



Subsite



Web Banner Ad



HTML email

## Endorsed Branding

Entities within the endorsed branding model have a visual association with IEEE, but also have unique, differentiating aspects that may require a separate logo or visual treatment.

### ENDORSED BRANDING IS DIVIDED INTO THREE SUBCATEGORIES:

- In-Name Endorsement
- Prefix Endorsement
- Descriptor Endorsement

#### In-Name Endorsement

The In-Name Endorsement category consists of sub-brands that are most closely tied to the IEEE Brand and that reflect the IEEE Brand most clearly.

In this group, use of logo icons are avoided or are not as prominent, and the letters I-E-E-E are a prominent part of the name.



#### Prefix Endorsement

The Prefix Endorsement category includes sub-brands with the letters I-E-E-E in the name or above the name, but less prominently than the In-Name Endorsement category.

This category includes differentiating elements to allow for distinctive look between our various sub-brands.



#### Geographic Communities

IEEE is divided into ten worldwide geographic regions. Within the regions, there are local sections, chapters, branches, and council groups.

The letters I-E-E-E are used differently between each sub-brand but all communities should leverage the IEEE Master Brand on their communications. However, the IEEE Master Brand is NOT to be used inside or as part of another mark.



Coming in 2019: IEEE Geographic Communities: Visual Identity Guideline Supplement

The following pages provide a more detailed view of each type of endorsed branding.

## In-Name Endorsement

The In-Name Endorsement category consists of sub-brands that are most closely tied to the IEEE Brand. In this group, the letters I-E-E-E are a prominent part of the name and logo.

### Brand Alignment

- A major product, service, or component that serves the entire IEEE
- A major part of how IEEE is perceived around the world

### DESIGN REQUIREMENTS

#### Size and Font

- Don't let any logo icon make up more than approximately 30% of the whole logo
- Letters I-E-E-E must be uppercase
- Size of letters I-E-E-E must be consistent with the size of the name
- Only the Formata font family can be used
- Prominence of the letters I-E-E-E (color, weight) must be equal to or greater than the name
- Acronyms used in the name must be spelled out (excluding the IEEE acronym)
- Minimum Size: Print 13pt | On-screen 15px

#### Color

- Color of letters I-E-E-E must be black or IEEE blue
- Overall color of Sub-brand must be predominantly black or IEEE blue
- One accent color from IEEE color palette is allowed

### IN-NAME ENDORSEMENT INCLUDES:

#### IEEE Level Information Products

- IEEE Collabratec

#### Delivery Platforms

- IEEE.tv
- IEEE *Xplore*® Digital Library

To see a full description for each In-Name Endorsement category, see [page 30](#).

### IN-NAME ENDORSEMENT EXAMPLES:



- Letters I-E-E-E must be black or IEEE blue
- Letters I-E-E-E must be uppercase
- Overall logo color predominantly black or IEEE blue
- One accent color from IEEE color palette allowed



## Prefix Endorsement

The Prefix Endorsement category includes sub-brands with the letters I-E-E-E in the name or above, but less prominently than the In-Name Endorsement category. This category also allows for differentiating elements.

### Brand Alignment

- Delivers core IEEE services
- Is owned by IEEE, sometimes in conjunction with another IEEE unit

### DESIGN REQUIREMENTS

#### Size and Font

- Don't let any logo icon make up more than approximately 30% of the whole logo
- Letters I-E-E-E must be uppercase
- Size of letters I-E-E-E must be the height of lowercase letters within the name
- If name is entirely uppercase or entirely lowercase, the letters I-E-E-E should be 75% height of the tallest letter
- Letters I-E-E-E should be Formata bold, bold condensed, may be medium, medium condensed
- Font of name can be unique
- All symbols/icons within sub-brand logos must be deemed original art (not stock) and should be cleared through IEEE Legal to ensure there are no existing logos which could be confused with the brand or that may be an infringement on an existing brand identity.
- Acronyms used in the name must be spelled out (excluding the IEEE acronym)
- Minimum Size: Print 10pt | On-screen 12px

#### Color

- Color of letters I-E-E-E must be from the IEEE color palette
- Overall color of Sub-brand must be from the IEEE color palette
- No more than two accent colors from IEEE color palette are allowed

### PREFIX ENDORSEMENT INCLUDES:

#### Affinity Groups

- IEEE Women in Engineering (WIE)
- IEEE Young Professionals

#### Chapters

#### IEEE Conferences

#### Organization Unit Level

#### Information Products

#### Societies

#### Services

- IEEE JobSite

#### Standards & Consensus

#### Building Groups

#### Vertical Information Portals

- IEEE Cloud Computing
- IEEE Internet of Things

#### Technical Councils

- Sensors Council

To see a full description for each Prefix Endorsement category, see [page 30](#)

### PREFIX ENDORSEMENT EXAMPLES:



- Letters I-E-E-E must be in the name or above but can be less prominent
- Letter I-E-E-E can be any color but it is preferable in be black or IEEE blue
- Letters I-E-E-E must be uppercase
- Icon must be original art
- Two accent colors from IEEE color palette allowed



## Geographic Communities: Regions/Sections/Chapters (Includes sub sections and professional chapters)

IEEE is divided into ten worldwide geographic regions. Within the Regions are local Sections, Chapters, Student Chapters, and Student Branches.

The letters I-E-E-E are used in-name or above the sub-brand of Regions and sections. The regions/sections/chapters should leverage the IEEE Master Brand on all of their communications.

### Brand Alignment

- Member outreach at both the local and global level
- Geographically-based communities around the world

### DESIGN REQUIREMENTS

#### Size and Font

- Don't let any logo icon make up more than approximately 30% of the whole logo
- Letters I-E-E-E must be uppercase
- Letters I-E-E-E must be in the name or above but can be less prominent
- Size of letters I-E-E-E must be the height of lowercase letters within the name
- If name is entirely uppercase or entirely lowercase the letter I-E-E-E should be 75% height of the tallest letter
- Letters I-E-E-E should be Formata bold, bold condensed, may be medium, medium condensed
- Font of name can be unique
- Icon or graphic can be used but **is not required**; icon must be original art
- Acronyms used in the name must be spelled out (excluding the IEEE acronym)
- Minimum Size: Print 10pt | On-screen 12px

#### Color

- Color of letters I-E-E-E must be black or IEEE blue
- Overall color of Sub-brand must be from the IEEE color palette
- No more than two accent colors from IEEE color palette are allowed.

### REGIONS/SECTIONS/CHAPTERS INCLUDES:

#### Regions / Sections

IEEE geographically-based communities of the world.

**While Regions may use map icons, Regions, Sections, and Chapter treatments do not otherwise have logo treatments in way of symbols and icons. The various brand wedge elements and lockups are permitted as shown in examples.**

To see a full description for each Descriptor Endorsement category, see [page 30](#).

**NOTE:** Guidelines for Student Branches and Chapters are on [page 36](#).

If you require assistance with development of your Region, Section or Chapter identifier, please email [branding@ieee.org](mailto:branding@ieee.org).

### REGIONS/ SECTIONS/CHAPTERS EXAMPLES:

Template options for IEEE Region identifiers.



Template options for IEEE Section identifiers.



IEEE Your Section Name Here

IEEE Your Sub Section Name Here

Template options for IEEE Chapter identifiers.

IEEE Your Chapter Name Here



Additional Chapter Descriptor Text Can Appear Here



## Geographic Communities: Student Branches/Student Chapters

IEEE is divided into ten worldwide geographic regions. Within the Regions are local Sections, Councils, Student Chapters, and Student Branches.

The Student Branches should not use the letters I-E-E-E within or above the sub-brand, the Student Chapters should include an association with IEEE in the descriptor line. The Student Branches and Chapters should leverage the IEEE Master Brand on all of their communications.

### Brand Alignment

- Member outreach at both the local and global level
- Geographically-based communities around the world

### DESIGN REQUIREMENTS

#### Size and Font

- Don't let any logo icon make up more than approximately 30% of the whole logo
- Letters I-E-E-E in the descriptor line must be uppercase
- Student chapters should use the branch/society lock up template
- Student chapters descriptor line should be Formata, Verdana, or Calibri
- Font of name can be unique
- Only the official logo of the college/university may be used as a logo mark and should not make up more than 30% of the whole logo
- Minimum Size: Print 10pt | On-screen 12px

#### Color

- Overall color of Sub-brand can be IEEE blue, accent colors from the IEEE palette, OR from the university's color palette
- No more than two accent colors from IEEE color palette are allowed

### STUDENT BRANCHES/ CHAPTERS INCLUDES:

#### Student Branches

IEEE student members supported by universities/colleges and IEEE.

#### Student Branch Chapters

A technical subunit of an IEEE Student Branch and of one or more Societies.

To see a full description for each Descriptor Endorsement category, see [page 30](#).

**NOTE:** Guidelines for Regions, Sections, and Councils are on [page 36](#).

A [IEEE Students Visual Identity Toolkit](#) is available on the IEEE Brand Experience site.

### STUDENT BRANCHES/ CHAPTERS EXAMPLES:



**University Name Here**  
IEEE Student Branch

Student Branches sub-brand template.  
Icon is not mandatory.



*Above icon is for Duke University only*

- Icon must be reproducible, original vector art, and no larger than 30% of overall logo
- Font color can be from college or universities official color palette. If not using college or universities color, IEEE blue, black or tint of black must be used.
- Student Chapter should use branch/society lock up template
- Letters I-E-E-E must be uppercase
- Letters I-E-E-E must be in the Student Chapter descriptor line
- Cannot alter society logos
- A horizontal rule must be used to separate the IEEE Master Brand and the name

**University Name**  
IEEE Student Branch



A Student Chapter of the IEEE Robotics & Automation Society




IEEE XXXX Chapter



## Incorrect Usage

Sub-Brand Architecture and Alignment Group configurations and usage outside of established specifications and guidelines damage the IEEE Brand. Modifications and/or distortions are strictly prohibited.

The IEEE Master Brand can not be used/incorporated into any sub-brand marks.



Do NOT incorporate the IEEE Master Brand or kite icon into any sub-brand.



Do NOT use unapproved colors that are not in the IEEE color palette.



Do NOT let any logo icon make up more than 30-40% of the entire logo.



Do NOT put any text on a vertical or curved path.



Do NOT use images or graphics as letters in text.



Do NOT apply reflections, glows, outlines, shadows, or other distortions to text.



Do NOT stretch or distort the sub-brand to make it fit a particular size or bounding box.



Do NOT use a busy background image that will interfere with the legibility of the logo.

## Individual Branding

Entities within the individual branding model may have limited oversight by IEEE and may rely on another legal entity with its own guidelines. These products, services, or groups have their own identities, logos, and possibly branding standards.

### **INDIVIDUAL BRANDING INCLUDES:**

Partnerships

Co-Sponsored Conferences

Partnerships and sponsorships typically follow the established guidelines of the legal owner, who may not be IEEE.

Because this initiative is owned by a another entity, the website and logo follow their own design system. Any logo developed by the other entity may not use or incorporate the IEEE name, logo, or Master Brand.

If the IEEE Master Brand is used it must be used in accordance with the IEEE Master Brand Guidelines including the policies related to size and positioning.

When IEEE produces the collateral of partnerships containing individual brands, the standard is to use the partner logo within the context of the IEEE Brand Identity Guidelines. This affords the individual brand its unique identity while aligning the offering with IEEE.

# Resources & Contact

These guidelines are extremely important to IEEE and its entities—adding more value, consistency, and organization to the IEEE Brand. Thank you for being a productive part of One IEEE.

## IEEE Brand Identity Tools

[IEEE Brand Identity Website](#)

[IEEE Master Brand and Logos](#)

[IEEE Brand Identity Guidelines](#)

## About IEEE

[Understanding the IEEE Brand](#)

[IEEE Corporate Brochure](#)

[IEEE Brand Overview Video](#)

## Contact

Questions or Comments  
[branding@ieee.org](mailto:branding@ieee.org)

For source files for templates found on the IEEE Brand Experience website, please reach out to [creative@ieee.org](mailto:creative@ieee.org)

**Express permission is required for bulk commercial printing of this guidelines document.**

Please reach out to [branding@ieee.org](mailto:branding@ieee.org) for more information.